

# Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

# PLAGUE-PREVENTION WORK.

#### PLAGUE-INFECTED SQUIRRELS FOUND.

During the week ended May 18, 1912, positive diagnosis of plague was made in 23 ground squirrels collected in Alameda and Contra Costa Counties, Cal. The squirrels were found as follows: In Alameda County, May 7, 1 squirrel; May 8, 1 squirrel; May 9, 3 squirrels; in Contra Costa County, May 7, 3 squirrels; May 8, 11 squirrels; May 10, 1 squirrel; May 11, 2 squirrels; May 13, 1 squirrel.

#### DISTRIBUTION OF POISON.

In connection with the making and maintenance of a squirrel-free zone around the cities of California on San Francisco Bay, 7,293 acres of land in Alameda County were covered with poison during the week ended May 18, 1912.

## RECORD OF PLAGUE INFECTION.

Places.	Date of last case of human plague.			
California: Cities—				
San Francisco	Jan. 30, 1908	Oct. 23, 1908	None	398 rats.
Oakland	Aug. 9, 1911	Dec. 1, 1908	do	126 rats.
Berkeley	Aug. 27, 1907	None	do	
Los Angeles	Aug. 11, 1908	do	Aug. 21, 1908	1 squirrel.
Counties—	O+ 00 1000	XX	M - 0 1010	011 1 1
Alameda (exclusive of Oakland and Berkeley).	Sept. 26, 1909	Wood rat, Oct. 17, 1909.	May 9, 1912	211 squirrels and 1 wood rat.
Contra Costa	July 21, 1911	None	May 13, 1912	382 squirrels.
Fresno		do	Oct. 27, 1911	1 squirrel.
Merced	do	do	July 13, 1911	5 squirrels.
Monterey	do	do	Aug. 6, 1911	Do.
San Benito	June 5, 1910	dodo	June 8, 1911	22 squirrels.
San Joaquin	Sept. 18, 1911	do	Aug. 26, 1911	18 squirrels.
San Luis Obispo	None	do	Jan. 29, 1910	1 squirrel.
Santa Clara	Aug. 23, 1910	do	Oct. 5, 1910	23 squirrels.
Santa Cruz	None	do	May 17, 1910	3 squirrels.
Stanislaus	do	do	June 2, 1911	13 squirrels.
Washington:				
Cities—				
Seattle	Oct. 30, 1907	Sept. 21, 1911	None	25 rats.

1044 June 28, 1912

#### RATS COLLECTED AND EXAMINED FOR PLAGUE INFECTION.

Places.	Week ended—	Found dead.	Total collected.	Exam- ined.	Found infected
California: Cities— Berkeley. Oakland. San Francisco. Washington: City— Seattle.	May 18, 1912 do	34 8	1 179 2 771 3 1,655	128 596 1,326	

Identified: Mus norvegicus, 128; Mus musculus, 51.
 Identified: Mus norvegicus, 626; Mus rattus, 2; Mus musculus, 141; Mus alexandrinus, 2.
 Identified: Mus norvegicus, 908; Mus rattus, 200; Mus musculus, 329; Mus alexandrinus, 218.

#### SQUIRRELS COLLECTED AND EXAMINED FOR PLAGUE INFECTION.

During the week ended May 18, 1912, 321 ground squirrels collected in Alameda County and 2,398 collected in Contra Costa County, Cal., were examined for plague infection. Five from Alameda County and 18 from Contra Costa County were found to be plague infected.

# CEREBROSPINAL MENINGITIS.

#### CASES AND DEATHS REPORTED BY CITY HEALTH AUTHORITIES FOR THE WEEK ENDED JUNE 8, 1912.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Boston, Mass Chicago, Ill. Houston, Tex Kansas City, Mo. Los Angeles, Cal. New Bedford, Mass. New Orleans, La	$\begin{bmatrix} 2\\1\\2\\ \dots \\1 \end{bmatrix}$	1 3	New York, N. Y Oklahoma, Okla. Omaha, Nebr. Philadelphia, Pa Providence, R. I. St. Louis, Mo.	1 1 1 1	3 1

### ERYSIPELAS.

# CASES AND DEATHS REPORTED BY CITY HEALTH AUTHORITIES FOR THE WEEK ENDED JUNE 8, 1912.

Cities.	Cases.	Deaths.	Cities.	Cases.	Deaths.
Ann Arbor, Mich Baltimore, Md Boston, Mass Bridgeport, Conn Cincinnati, Ohio Cleveland, Ohio Everett, Mass Hartford, Conn Kalamazoo, Mich Los Angeles, Cal Milwaukee, Wis Newcastle, Pa	1 2 9 1 1 2 2	1 1	Philadelphia, Pa Pittsburgh, Pa Plainfield, N. J. Providence, R. I. Rutland, Vt	2 7 4 2 1 7	1

# PELLAGRA.

During the week ended June 8, 1912, 3 deaths from pellagra were reported at Houston, Tex., and 1 at Montgomery, Ala.